

To: Dermer, Michele[Dermer.Michele@epa.gov]
From: Sonnie_Pineda@oxy.com
Sent: Mon 9/22/2014 10:28:12 PM
Subject: RE: Aquifer exemption checklist

Michelle,

What is your opinion if we get these aquifer exemption application submitted next year by March 2015? The consultant who is currently working with DOGGR aquifer exemption informed me that they are not available to take in this project until after January 2015.

Sonnie T. Pineda

Sr. Environmental Advisor|Occidental of Elk Hills, Inc.

Elk Hills Power Plant | 4026 Skyline Road, Tupman, CA 93276

(661)765-1805 Office|(661) 770-6051 Cell| (661) 763-2946 Fax

email: Sonnie_Pineda@oxy.com

***NOTICE* New office phone number**

From: Dermer, Michele [mailto:Dermer.Michele@epa.gov]
Sent: Monday, September 22, 2014 2:25 PM
To: Pineda, Sonnie T
Subject: RE: Aquifer exemption checklist

Hi Sonnie,

Just to clarify, this is an informal transmittal of the checklist so you can get familiar with the information required. EPA will provide a formal communication letter with any remaining comments on your application, with the request to update information on the status of USDWs as part of that.

Michele

From: Sonnie_Pineda@oxy.com [mailto:Sonnie_Pineda@oxy.com]
Sent: Monday, September 22, 2014 1:12 PM
To: Dermer, Michele
Subject: RE: Aquifer exemption checklist

Got it. I will work with our group to get the data required for submittal.

Thanks,

Sonnie T. Pineda

Sr. Environmental Advisor|Occidental of Elk Hills, Inc.

Elk Hills Power Plant | 4026 Skyline Road, Tupman, CA 93276

(661)765-1805 Office|(661) 770-6051 Cell| (661) 763-2946 Fax

email: Sonnie_Pineda@oxy.com

***NOTICE* New office phone number**

From: Dermer, Michele [mailto:Dermer.Michele@epa.gov]
Sent: Monday, September 22, 2014 12:44 PM
To: Pineda, Sonnie T
Cc: Campos, Juan; R9-Deep
Subject: Aquifer exemption checklist

Dear Sonnie,

As we discussed last week, attached for your information are the EPA checklist and criteria regarding aquifer exemptions. We are going to update our review of your renewal application

and provide any remaining technical comments. One of our comments will be to revise the section on USDWs in Attachment D. As a heads up you will want to provide the information requested on the checklist. Please feel free to contact me with any questions.

Sincerely,

Michele

Michele Dermer

Ground Water Office

EPA Region 9

(415) 972-3417

Dermer.michele@epa.gov